



Meghalaya Basin
Development Authority

+91 364-3510190

Office of the Project Director
Community-based Forest Management and
Livelihood Improvement in Meghalaya
Shalom Building, 2nd Floor Lower
Lachumiere, Shillong-793001

cflip-mbda@gov.in, jica.mbda@gmail.com



Japan International
Cooperation Agency

www.mbda.gov.in

MBDA/JICA/2022/806/602

Date: 16th June, 2022

Addendum#1

“Procurement of Office Equipment for MeCFLIP”

IFB Reference No: MBDA/JICA/2022/806/581

Published on: 6th June, 2022

Sl. No.	Clause No/Ref No	Original clause	Amended clause																																
1	IFB Clause; Specifications Point No. 1, Page No 7	Portable Projector old Specifications <table border="1"> <tr> <td>Technology</td> <td>single-chip LCD</td> </tr> <tr> <td>Brightness</td> <td>2400 Lumens</td> </tr> <tr> <td>Contrast Ratio</td> <td>2000:01:00</td> </tr> <tr> <td>Projection</td> <td>3 LCD</td> </tr> <tr> <td>Native Resolution</td> <td>800x480</td> </tr> <tr> <td>Max Resolution</td> <td>1280X480</td> </tr> <tr> <td>Ultra Short Throw</td> <td>Yes</td> </tr> <tr> <td>Native Aspect Ratio</td> <td>16:10</td> </tr> </table>	Technology	single-chip LCD	Brightness	2400 Lumens	Contrast Ratio	2000:01:00	Projection	3 LCD	Native Resolution	800x480	Max Resolution	1280X480	Ultra Short Throw	Yes	Native Aspect Ratio	16:10	Portable Projector new Specifications <table border="1"> <tr> <td>Technology</td> <td>LCD/LED</td> </tr> <tr> <td>Brightness</td> <td>2400 Lumens or above</td> </tr> <tr> <td>Contrast Ratio</td> <td>15000: 1or above</td> </tr> <tr> <td>Projection</td> <td>3 LCD/DLP</td> </tr> <tr> <td>Native Resolution</td> <td>640x480 or above</td> </tr> <tr> <td>Max Resolution</td> <td>1280X800 or above</td> </tr> <tr> <td>Throw</td> <td>Short/Standard</td> </tr> <tr> <td>Native Aspect Ratio</td> <td>16:10</td> </tr> </table>	Technology	LCD/LED	Brightness	2400 Lumens or above	Contrast Ratio	15000: 1or above	Projection	3 LCD/DLP	Native Resolution	640x480 or above	Max Resolution	1280X800 or above	Throw	Short/Standard	Native Aspect Ratio	16:10
Technology	single-chip LCD																																		
Brightness	2400 Lumens																																		
Contrast Ratio	2000:01:00																																		
Projection	3 LCD																																		
Native Resolution	800x480																																		
Max Resolution	1280X480																																		
Ultra Short Throw	Yes																																		
Native Aspect Ratio	16:10																																		
Technology	LCD/LED																																		
Brightness	2400 Lumens or above																																		
Contrast Ratio	15000: 1or above																																		
Projection	3 LCD/DLP																																		
Native Resolution	640x480 or above																																		
Max Resolution	1280X800 or above																																		
Throw	Short/Standard																																		
Native Aspect Ratio	16:10																																		

		<table border="1"> <tr> <td>Video Compatibility</td> <td>720p, 1080i, 1080p/60, 480p, 480i</td> </tr> <tr> <td>Lamp Life</td> <td>40,000 hours</td> </tr> <tr> <td>Audio</td> <td>2W x 2</td> </tr> <tr> <td>Classroom</td> <td>Yes</td> </tr> <tr> <td>Warranty</td> <td>1 year</td> </tr> <tr> <td>Connectivity</td> <td>USB Port, HDMI</td> </tr> </table>	Video Compatibility	720p, 1080i, 1080p/60, 480p, 480i	Lamp Life	40,000 hours	Audio	2W x 2	Classroom	Yes	Warranty	1 year	Connectivity	USB Port, HDMI	<table border="1"> <tr> <td>Video Compatibility</td> <td>720p, 1080i, 1080p/60, 480p, 480i</td> </tr> <tr> <td>Source Life</td> <td>4000 hours or above hours</td> </tr> <tr> <td>Audio</td> <td>2W or above</td> </tr> <tr> <td>Classroom</td> <td>Yes</td> </tr> <tr> <td>Ceiling Mountable</td> <td>Yes</td> </tr> <tr> <td>Warranty</td> <td>1 year</td> </tr> <tr> <td>Connectivity</td> <td>VGA/ HDMI or higher</td> </tr> </table>	Video Compatibility	720p, 1080i, 1080p/60, 480p, 480i	Source Life	4000 hours or above hours	Audio	2W or above	Classroom	Yes	Ceiling Mountable	Yes	Warranty	1 year	Connectivity	VGA/ HDMI or higher
Video Compatibility	720p, 1080i, 1080p/60, 480p, 480i																												
Lamp Life	40,000 hours																												
Audio	2W x 2																												
Classroom	Yes																												
Warranty	1 year																												
Connectivity	USB Port, HDMI																												
Video Compatibility	720p, 1080i, 1080p/60, 480p, 480i																												
Source Life	4000 hours or above hours																												
Audio	2W or above																												
Classroom	Yes																												
Ceiling Mountable	Yes																												
Warranty	1 year																												
Connectivity	VGA/ HDMI or higher																												
2	IFB Clause; Specifications Point No. 2, Page No 7	Portable PA System – Old Specifications	<p>Portable PA System – old Specifications to be replaced with new Specifications as shown below:</p> <p>Type: Portable Power Source: AC and Battery Powered Weight: Not more than 10 KG Audio Watt: Min 20 Watt Connectivity: Bluetooth, USB, SD Card, AUX Features: Built-in Mic, digital MP3 Player & recorder Battery Back Up: Min 3 Hours Bluetooth: Yes Warranty: 1 Year Minimum</p>																										
3	IFB Clause; Specifications Point No. 3, Page No 8	Multi-Function Color Printer – Old Specifications	<p>Multi-Function Color Printer – old Specifications to be replaced with new Specifications with Minimum requirement as shown below:</p> <table border="1"> <thead> <tr> <th>Features</th> <th>Minimum Requirement</th> </tr> </thead> <tbody> <tr> <td>Printing Method</td> <td>Duplex Colour Laser/Ink Tank Printing/ Micro Piezo print head</td> </tr> <tr> <td>Print Speed (A4)</td> <td>Min 25 ppm or higher</td> </tr> <tr> <td>Print Resolution</td> <td>600 x 600dpi</td> </tr> <tr> <td>Print Quality with Image</td> <td>1,200 x 1,200dpi (equivalent)</td> </tr> </tbody> </table>	Features	Minimum Requirement	Printing Method	Duplex Colour Laser/Ink Tank Printing/ Micro Piezo print head	Print Speed (A4)	Min 25 ppm or higher	Print Resolution	600 x 600dpi	Print Quality with Image	1,200 x 1,200dpi (equivalent)																
Features	Minimum Requirement																												
Printing Method	Duplex Colour Laser/Ink Tank Printing/ Micro Piezo print head																												
Print Speed (A4)	Min 25 ppm or higher																												
Print Resolution	600 x 600dpi																												
Print Quality with Image	1,200 x 1,200dpi (equivalent)																												

			Refinement Technology	
			Auto Duplex Printing	Standard
			Available Paper Size for Auto Duplex Print	8.5" x 13", 16K (195 x 270 mm), 4 x 6", 5 x 7", A4, A5, A6, B5, B6, C6, DL, Envelopes: #10 (4.125 x 9.5"), Hagaki (100 x 148 mm), Indian-Legal (215 x 345 mm), Legal Size, Letter
			COPY	
			Copy Speed (A4)	Min 25 ppm or higher
			Copy Resolution	600 x 600dpi
			Maximum Number of Copies	Up to 99 copies
			Copy Features	Memory Sort, 2 on 1, 4 on 1, ID Card Copy
			SCAN	
			Scan Type	Flatbed Colour Contact Image Sensor
			Scan Resolution	Optical Up to 600 x 600dpi
				Driver Enhanced Up to 9,600 x 9,600dpi
			Maximum Scan Size	Platen Glass Up to 216 x 297mm
			Scan Speed	Approx. 3.0secs. per sheet (mono) Approx. 4.0secs. per sheet (colour)
				ADF (A4) 20 / 15ipm (mono / colour)
			Auto Document Feeder (ADF)	35 sheets (80g/m2)
			Available Paper Size for ADF	A4, B5, A5, B6, Letter, Legal (Min. 100 x 148mm to Max. 216 x 356mm)
			Paper Input	Standard Cassette 100 sheets
				Multi-Purpose Tray 1 sheet
			Paper Output (Based on 68g/m2)	99 sheets

			<table border="1"> <tr> <td>Paper Size</td> <td>Standard Cassette-A4, B5, A5, Legal, Letter, Statement, Executive, Government Letter, Government Legal, Foolscap, Indian Legal Custom (Min. 76.2 x 210mm to Max. 216 x 356mm)</td> </tr> <tr> <td>Standard Interface</td> <td>Wired-High-Speed USB 2.0</td> </tr> <tr> <td>Compatible Operating Systems</td> <td>Microsoft® Windows® 10 (32 / 64-bit), Windows® 8.1 (32 / 64-bit), Windows® 8 (32 / 64-bit), Windows® 7 (32 / 64-bit), Windows Vista® (32 / 64-bit), Windows® Server 2012 R2 (64-bit), Windows® Server 2012 (64-bit), Windows® Server 2008 R2 (64-bit), Windows® Server 2008 (32 / 64-bit), Windows® Server 2003 R2 (32 / 64-bit), Windows® Server 2003 (32 / 64-bit), Mac OS X (*4) 10.6.8~, Linux (*3)</td> </tr> <tr> <td>Operational Panel</td> <td>Yes</td> </tr> <tr> <td>Power Requirement</td> <td>AC 220 - 240V (±10%), 50 / 60Hz (±2Hz)</td> </tr> <tr> <td>Monthly Duty Cycle</td> <td>15,000 pages</td> </tr> <tr> <td>Warranty</td> <td>1 Year Onsite Warranty</td> </tr> </table>	Paper Size	Standard Cassette-A4, B5, A5, Legal, Letter, Statement, Executive, Government Letter, Government Legal, Foolscap, Indian Legal Custom (Min. 76.2 x 210mm to Max. 216 x 356mm)	Standard Interface	Wired-High-Speed USB 2.0	Compatible Operating Systems	Microsoft® Windows® 10 (32 / 64-bit), Windows® 8.1 (32 / 64-bit), Windows® 8 (32 / 64-bit), Windows® 7 (32 / 64-bit), Windows Vista® (32 / 64-bit), Windows® Server 2012 R2 (64-bit), Windows® Server 2012 (64-bit), Windows® Server 2008 R2 (64-bit), Windows® Server 2008 (32 / 64-bit), Windows® Server 2003 R2 (32 / 64-bit), Windows® Server 2003 (32 / 64-bit), Mac OS X (*4) 10.6.8~, Linux (*3)	Operational Panel	Yes	Power Requirement	AC 220 - 240V (±10%), 50 / 60Hz (±2Hz)	Monthly Duty Cycle	15,000 pages	Warranty	1 Year Onsite Warranty
Paper Size	Standard Cassette-A4, B5, A5, Legal, Letter, Statement, Executive, Government Letter, Government Legal, Foolscap, Indian Legal Custom (Min. 76.2 x 210mm to Max. 216 x 356mm)																
Standard Interface	Wired-High-Speed USB 2.0																
Compatible Operating Systems	Microsoft® Windows® 10 (32 / 64-bit), Windows® 8.1 (32 / 64-bit), Windows® 8 (32 / 64-bit), Windows® 7 (32 / 64-bit), Windows Vista® (32 / 64-bit), Windows® Server 2012 R2 (64-bit), Windows® Server 2012 (64-bit), Windows® Server 2008 R2 (64-bit), Windows® Server 2008 (32 / 64-bit), Windows® Server 2003 R2 (32 / 64-bit), Windows® Server 2003 (32 / 64-bit), Mac OS X (*4) 10.6.8~, Linux (*3)																
Operational Panel	Yes																
Power Requirement	AC 220 - 240V (±10%), 50 / 60Hz (±2Hz)																
Monthly Duty Cycle	15,000 pages																
Warranty	1 Year Onsite Warranty																
4	IFB Clause; Specifications Point No. 8, Page No 11	ERDAS Software - ERDAS Imagine latest ver.- Hexagon	Image Processing Software (Latest)														



Shri. Gunanka DB, IFS
Additional Project Director, CLLMP
Meghalaya Basin Management Agency